



10 YEARS WARRANTY

Q-FLEX™

UNIQUE KINK RESISTANCE FLEXIBLE RISER



APPLICATIONS

INNOVATIVE & FLEXIBLE SOLUTION TO CONNECT DRIPPERLINES TO SUB MAINS

- Q-Flex™ is Netafim's innovative and unique solution for dripperline riser take-offs.
- Suits both Surface and Sub-Surface applications.

BENEFITS AND FEATURES

- Saves labor, simplifies and shortens the installation process.
- Prevent local pressure losses or flow restriction, kink-resistant.
- Verstaile pre assembled options for Thin wall, Medium wall and Heavy wall dripperlines.
- Configurable for diverse connectors options, customizable for connecting dripperlines to grommet take-offs or threaded connections in sub mains.

SPECIFICATIONS

- Kink-resistant corrugated profile.
- Made from UV resistance corrugated Polypropylene.
- Maximum pressure: 4 bar (0-40°C).
- Elongation <3% at 4 bar.
- Minimum kink radius (with buckling): 45 mm.



PACKAGING DATA

PIPE LENGTH (M)	QUANTITY P/BOX UNITS	BOX DIMENSIONS (CM X CM X CM)	BOX WEIGHT* (KG) APPROXIMATE	BOXES P/PALLET UNITS	PALLETS P/20' CONTAINER
0.30	400	190.0 X 28.5 X 28.0	29	12	12
0.60	200	145.0 X 28.5 X 28.0	17	12	16
0.75	200	190.0 X 28.5 X 28.0	19	12	12
1.00	100	130.0 X 28.5 X 28.0	12	12	16
1.20	100	130.0 X 28.5 X 28.0	14	12	16
1.50	100	190.0 X 28.5 X 28.0	17	12	12
1.80	100	190.0 X 28.5 X 28.0	19	12	12


*According to connectors combinations

** Configuration IC0.75MTH OCTL22 contains different quantity and weight

Q-FLEX™ COMPLEMENTARY PRODUCTS

PRODUCT DESCRIPTION	CATALOG NUMBER	ILLUSTRATION
ELBOW 1/2" FTH - 1/2" MTH W SELF SEAL	76200-012500	
COUPLUNG 20*20 (to repair corrugated pipe)	75000-001010	


Q-FLEX™ HEAD LOSS, 1.0 METER LENGTH














Q-FLEX™

Flowchart to determine the desired product definition

How to use: To determine the desired product definition select one of every set of options displayed on the chart.







Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.5MTH OCFR22 200/C	32010-002500			
QFLEX 0.75M IC0.5MTH OCFR22 200/C	32010-003020			
QFLEX 1.00M IC0.5MTH OCFR22 100/C	32010-002501			
QFLEX 1.20M IC0.5MTH OCFR22 100/C	32010-002502			
QFLEX 1.50M IC0.5MTH OCFR22 100/C	32010-002503			
QFLEX 1.80M IC0.5MTH OCFR22 100/C	32010-002504			
QFLEX 0.60M IC0.5MTH OCTL22 200/C	32010-002520			
QFLEX 0.75M IC0.5MTH OCTL22 200/C	32010-003021			
QFLEX 1.00M IC0.5MTH OCTL22 100/C	32010-002521			
QFLEX 1.20M IC0.5MTH OCTL22 100/C	32010-002522			
QFLEX 1.50M IC0.5MTH OCTL22 100/C	32010-002523			
QFLEX 1.80M IC0.5MTH OCTL22 100/C	32010-002524			
QFLEX 0.60M IC0.5MTH OCWITI 200/C	32010-002540			
QFLEX 0.75M IC0.5MTH OCWITI 200/C	32010-003022			
QFLEX 1.00M IC0.5MTH OCWITI 100/C	32010-002541			
QFLEX 1.20M IC0.5MTH OCWITI 100/C	32010-002542			
QFLEX 1.50M IC0.5MTH OCWITI 100/C	32010-002543			
QFLEX 1.80M IC0.5MTH OCWITI 100/C	32010-002544			
QFLEX 0.60M IC0.75MTH OCFR22 200/C	32010-002560			
QFLEX 0.75M IC0.75MTH OCFR22 200/C	32010-003023			
QFLEX 1.00M IC0.75MTH OCFR22 100/C	32010-002561			
QFLEX 1.20M IC0.75MTH OCFR22 100/C	32010-002562			
QFLEX 1.50M IC0.75MTH OCFR22 100/C	32010-002563			
QFLEX 1.80M IC0.75MTH OCFR22 100/C	32010-002564			













*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.75MTH OCTL22 160/C	32010-002580			
QFLEX 0.75M IC0.75MTH OCTL22 160/C	32010-003024			
QFLEX 1.00M IC0.75MTH OCTL22 80/C	32010-002581			
QFLEX 1.20M IC0.75MTH OCTL22 80/C	32010-002582			
QFLEX 1.50M IC0.75MTH OCTL22 80/C	32010-002583			
QFLEX 1.80M IC0.75MTH OCTL22 80/C	32010-002584			
QFLEX 0.60M IC0.75MTH OCWITI 200/C	32010-002600			
QFLEX 0.75M IC0.75MTH OCWITI 200/C	32010-003025			
QFLEX 1.00M IC0.75MTH OCWITI 100/C	32010-002601			
QFLEX 1.20M IC0.75MTH OCWITI 100/C	32010-002602			
QFLEX 1.50M IC0.75MTH OCWITI 100/C	32010-002603			
QFLEX 1.80M IC0.75MTH OCWITI 100/C	32010-002604			
QFLEX 0.60M ICPVC OCFR22 200/C	32010-002610			
QFLEX 0.75M ICPVC OCFR22 200/C	32010-003026			
QFLEX 1.00M ICPVC OCFR22 100/C	32010-002635			
QFLEX 1.20M ICPVC OCFR22 100/C	32010-002612			
QFLEX 1.50M ICPVC OCFR22 100/C	32010-002613			
QFLEX 1.80M ICPVC OCFR22 100/C	32010-002614			
QFLEX 0.60M ICPVC OCTL22 200/C	32010-002620			
QFLEX 0.75M ICPVC OCTL22 200/C	32010-003027			
QFLEX 1.00M ICPVC OCTL22 100/C	32010-002621			
QFLEX 1.20M ICPVC OCTL22 100/C	32010-002622			
QFLEX 1.50M ICPVC OCTL22 100/C	32010-002623			
QFLEX 1.80M ICPVC OCTL22 100/C	32010-002624			





*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M ICPVC OCWITI 200/C	32010-002630			
QFLEX 0.75M ICPVC OCWITI 200/C	32010-003028			
QFLEX 1.00M ICPVC OCWITI 100/C	32010-002631			
QFLEX 1.20M ICPVC OCWITI 100/C	32010-002632			
QFLEX 1.50M ICPVC OCWITI 100/C	32010-002633			
QFLEX 1.80M ICPVC OCWITI 100/C	32010-002634	PVC start connector w/seal MT	Corrugated pipe + 1 assembled sleeve	Wire tie
QFLEX 0.60M IC0.5MTH OCBA16 200/C	32010-002640			
QFLEX 0.75M IC0.5MTH OCBA16 200/C	32010-003029			
QFLEX 1.00M IC0.5MTH OCBA16 100/C	32010-002641			
QFLEX 1.20M IC0.5MTH OCBA16 100/C	32010-002642			
QFLEX 1.50M IC0.5MTH OCBA16 100/C	32010-002643			
QFLEX 1.80M IC0.5MTH OCBA16 100/C	32010-002644			
QFLEX 0.60M IC0.5MTH OCBA17 200/C	32010-002650			
QFLEX 0.75M IC0.5MTH OCBA17 200/C	32010-003030			
QFLEX 1.00M IC0.5MTH OCBA17 100/C	32010-002651			
QFLEX 1.20M IC0.5MTH OCBA17 100/C	32010-002652			
QFLEX 1.50M IC0.5MTH OCBA17 100/C	32010-002653			
QFLEX 1.80M IC0.5MTH OCBA17 100/C	32010-002654			
QFLEX 0.60M IC0.5MTH OCBA20 200/C	32010-002660			
QFLEX 0.75M IC0.5MTH OCBA20 200/C	32010-003031			
QFLEX 1.00M IC0.5MTH OCBA20 100/C	32010-002661			
QFLEX 1.20M IC0.5MTH OCBA20 100/C	32010-002662			
QFLEX 1.50M IC0.5MTH OCBA20 100/C	32010-002663			
QFLEX 1.80M IC0.5MTH OCBA20 100/C	32010-002664			

*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.75MTH OCBA16 200/C	32010-002670			
QFLEX 0.75M IC0.75MTH OCBA16 200/C	32010-003032			
QFLEX 1.00M IC0.75MTH OCBA16 100/C	32010-002671			
QFLEX 1.20M IC0.75MTH OCBA16 100/C	32010-002672			
QFLEX 1.50M IC0.75MTH OCBA16 100/C	32010-002673			
QFLEX 1.80M IC0.75MTH OCBA16 100/C	32010-002674			
QFLEX 0.60M IC0.75MTH OCBA17 200/C	32010-002680			
QFLEX 0.75M IC0.75MTH OCBA17 200/C	32010-003033			
QFLEX 1.00M IC0.75MTH OCBA17 100/C	32010-002681			
QFLEX 1.20M IC0.75MTH OCBA17 100/C	32010-002682			
QFLEX 1.50M IC0.75MTH OCBA17 100/C	32010-002683			
QFLEX 1.80M IC0.75MTH OCBA17 100/C	32010-002684			
QFLEX 0.60M IC0.75MTH OCBA20 200/C	32010-002690			
QFLEX 0.75M IC0.75MTH OCBA20 200/C	32010-003034			
QFLEX 1.00M IC0.75MTH OCBA20 100/C	32010-002691			
QFLEX 1.20M IC0.75MTH OCBA20 100/C	32010-002692			
QFLEX 1.50M IC0.75MTH OCBA20 100/C	32010-002693			
QFLEX 1.80M IC0.75MTH OCBA20 100/C	32010-002694			
QFLEX 0.60M ICPVC OCBA16 200/C	32010-002700			
QFLEX 0.75M ICPVC OCBA16 200/C	32010-003035			
QFLEX 1.00M ICPVC OCBA16 100/C	32010-002701			
QFLEX 1.20M ICPVC OCBA16 100/C	32010-002702			
QFLEX 1.50M ICPVC OCBA16 100/C	32010-002703			
QFLEX 1.80M ICPVC OCBA16 100/C	32010-002704			







*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M ICPVC OCBA17 200/C	32010-002710			
QFLEX 0.75M ICPVC OCBA17 200/C	32010-003036			
QFLEX 1.00M ICPVC OCBA17 100/C	32010-002711			
QFLEX 1.20M ICPVC OCBA17 100/C	32010-002712			
QFLEX 1.50M ICPVC OCBA17 100/C	32010-002713			
QFLEX 1.80M ICPVC OCBA17 100/C	32010-002714			
QFLEX 0.60M ICPVC OCBA20 200/C	32010-002720			
QFLEX 0.75M ICPVC OCBA20 200/C	32010-003037			
QFLEX 1.00M ICPVC OCBA20 100/C	32010-002721			
QFLEX 1.20M ICPVC OCBA20 100/C	32010-002722			
QFLEX 1.50M ICPVC OCBA20 100/C	32010-002723			
QFLEX 1.80M ICPVC OCBA20 100/C	32010-002724			
QFLEX 0.60M IC0.5MTH OCFR16BL 200/C	32010-002730			
QFLEX 0.75M IC0.5MTH OCFR16BL 200/C	32010-003038			
QFLEX 1.00M IC0.5MTH OCFR16BL 100/C	32010-002731			
QFLEX 1.20M IC0.5MTH OCFR16BL 100/C	32010-002732			
QFLEX 1.50M IC0.5MTH OCFR16BL 100/C	32010-002733			
QFLEX 1.80M IC0.5MTH OCFR16BL 100/C	32010-002734			
QFLEX 0.60M ICPVC OCFR16BL 200/C	32010-002740			
QFLEX 0.75M ICPVC OCFR16BL 200/C	32010-003039			
QFLEX 1.00M ICPVC OCFR16BL 100/C	32010-002741			
QFLEX 1.20M ICPVC OCFR16BL 100/C	32010-002742			
QFLEX 1.50M ICPVC OCFR16BL 100/C	32010-002743			
QFLEX 1.80M ICPVC OCFR16BL 100/C	32010-002744			

*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.30M IC0.75MTH OC0.75MTH 400/C	32010-002851			
QFLEX 0.60M IC0.75MTH OC0.75MTH 200/C	32010-002490			
QFLEX 0.75M IC0.75MTH OC0.75MTH 200/C	32010-003047			
QFLEX 1.00M IC0.75MTH OC0.75MTH 100/C	32010-002559			
QFLEX 1.20M IC0.75MTH OC0.75MTH 100/C	32010-002495			
QFLEX 1.50M IC0.75MTH OC0.75MTH 100/C	32010-002605			
QFLEX 1.80M IC0.75MTH OC0.75MTH 100/C	32010-002505	Male threaded connector "3/4	Corrugated pipe + 2 assembled sleeves	Male threaded connector "3/4
QFLEX 0.30M IC0.75MTH OC0.75FTH 400/C	32010-002852			
QFLEX 0.60M IC0.75MTH OC0.75FTH 200/C	32010-002491			
QFLEX 0.75M IC0.75MTH OC0.75FTH 200/C	32010-003048			
QFLEX 1.00M IC0.75MTH OC0.75FTH 100/C	32010-002565			
QFLEX 1.20M IC0.75MTH OC0.75FTH 100/C	32010-002496			
QFLEX 1.50M IC0.75MTH OC0.75FTH 100/C	32010-002606			
QFLEX 1.80M IC0.75MTH OC0.75FTH 100/C	32010-002695	Male threaded connector "3/4	Corrugated pipe + 2 assembled sleeves	Female threaded connector "3/4

*The illustrations are illustrative only. Not shown on a scale or in real colors.